




CLADDING TO CLADDING INTERFACE




CLADDING TO CURTAIN WALL INTERFACE



CLADDING TO STRUCTURAL WALL INTERFACE




CIRCULAR COLUMN DETAIL ON A STEEL STRUCTURE




CLADDING AT PARAPET COPPING

- M8x65mm long G.I. anchor bolt
- 25mm long ST/ST screw
- 40x40x4mm thk. Alu. continuous angle
- 4mm thk. aluminium pop rivet
- Silicon with backing rod



FIXING ACCESSORIES



FIXING ACCESSORIES



① M8x65mm long anchor bolt



② M8x25mm long nut & bolt




③ 25mm long screw




④ Aluminium pop rivet




⑤ Sealant with backing rod



⑥ 20x20x2mm thk. aluminium angle




⑦ 40x40x4mm thk. x 100mm long aluminium bracket




⑧ 40x40x3mm thk. aluminium continuous angle


CIRCULAR COLUMN DETAIL ON A CONCRETE STRUCTURE




FRONT VIEW OF ALUBOND^{U.S.A} FABRICATED PANEL




METHOD OF PANEL LAMINATION




PART VIEW OF PANEL LAMINATION



REAR VIEW OF ALUBOND_{U.S.A} FABRICATED PANEL



CONCRETE COLUMN LAMINATION



STEEL COLUMN LAMINATION

